DOCKET NO.: FCI-2714/C3549



09-21-85

HW by

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re Application of:

Steven E. Minich, et al.

Confirmation No.: **6034**Group Art Unit: **2833**

Application No.: 10/634,547

610up / 111 Omt. 2033

Filing Date: August 5, 2003

Examiner: Renee S. Luebke

Electrical Connectors Having Contacts That May Be Selectively Designated As

Either Signal Or Ground Contacts

EXPRESS MAIL LABEL NO: EV 614723098 US DATE OF DEPOSIT: September 20, 2005

tt**EV614723098US**)

MS Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

REPLY TRANSMITTAL LETTER

	A Preliminary Amendment.				
\boxtimes	An Amendment Responsive to the Office Action Dated June 14, 2005.				
	An Amendment Supplemental to the Paper filed .				
	A Substitute Specification (pages 1 -) in clean form.				
	A substitute specification (pages 1 -) with markings.				
	An Abstract is enclosed.				
	replacement sheets of drawings are enclosed comprising figures .				
	Request is hereby made to accept black and white photograph(s) in this case, as they are the only practicable medium for illustrating the claimed invention. One (1) set of black and white photographs comprising figure(s) is submitted herewith.				
	Petition is hereby made to accept drawing(s)/photograph(s) in this case.				

DOCKET NO.: FCI-2714/C3549 PATENT Three (3) sets of color drawing(s)/photograph(s) and black and white photocopy that accurately depicts to the extent possible, the subject matter shown in the color drawing(s)/photograph(s), are enclosed, comprising figures An amendment to the first paragraph in that portion of the Brief Description of the Drawings is also enclosed herewith advising that the patent contains at least one drawing/photograph in color. A Certified Copy of each of the following applications: is enclosed. An Assignee Power of Attorney is enclosed. \boxtimes Supplemental Information Disclosure Statement. \bowtie Attached Form 1449. \boxtimes Copies of reference Nos. 91 thru 96 as listed on the attached Form PTO-1449 are enclosed herewith. П A Terminal Disclaimer is attached. Appendices as follows: \boxtimes Other: Applicant-Initiated Interview Summary No Additional Fee is Due. Applicant(s) has previously claimed small entity status under 37 CFR § 1.27. Applicant(s) by its/their undersigned attorney, claims small entity status under 37 CFR § 1.27 as П This application is no longer entitled to small entity status. It is requested that this be noted in the files of the U.S. Patent and Trademark Office.

DOCKET NO.: FCI-2714/C3549 PATENT

				SMALL	ENTITY	NOT SMAL	L ENTITY
	REMAINING AFTER AMENDMENT	HIGHEST PAID FOR	EXTRA	RATE	FEE	RATE	FEE
TOTAL CLAIMS	33	40	0	\$25 EACH	\$	\$50 EACH	\$0
INDEP. CLAIMS	3	6	0	\$100 EACH	\$	\$200 EACH	\$0
FIRST PRESENTATION OF MULTIPLE DEPENDENT				\$180	\$	\$360	\$
ONE MONTH EXTENSION OF TIME				\$60	\$	\$120	\$120
☐ TWO MONTH EXTENSION OF TIME				\$225	\$	\$450	\$
☐ THREE MONTH EXTENSION OF TIME				\$510	\$	\$1020	\$
☐ FOUR MONTH EXTENSION OF TIME				\$795	\$	\$1590	\$
☐ FIVE MC	\$1080	\$	\$2160	\$			
LESS AN	minus	(\$)	minus	(\$)			
☐ TERMIN	\$65	\$	\$130	\$			
OTHER I				\$180			
TOTAL FEE DUE					\$		\$300

\boxtimes	A checks in the amount of \$\frac{\\$120.00 and \$\\$180.00}{\} are attached. Please charge any deficiency or credit any overpayment to Deposit Account 23-3050.
	Please charge Deposit Account No. 23-3050 in the amount of00. This sheet is attached in duplicate.
\boxtimes	The Commissioner is hereby authorized to charge any deficiency or credit any overpayment of the fees associated with this communication to Deposit Account No. 23-3050.
\boxtimes	Petition is hereby made under 37 CFR § 1.136(a) (fees: 37 CFR § 1.17(a)(1)-(4)) to extend the time for response to the Office Action of June 14, 2005 to and through October 14, 2005 comprising an extension of the shortened statutory period of one month.

DOCKET NO.: FCI-2714/C3549

PATENT

The Commissioner is hereby requested to grant an extension of time for the appropriate length of time, should one be necessary, in connection with this filing or any future filing submitted to the U.S. Patent and Trademark Office in the above-identified application during the pendency of this application. The Commissioner is further authorized to charge any fees related to any such extension of time to Deposit Account 23-3050. This sheet is provided in duplicate.

Date: September 20, 2005

Joseph/R. Condo

Registration No. 42,431

Woodcock Washburn LLP One Liberty Place - 46th Floor Philadelphia PA 19103

Telephone: (215) 568-3100 Facsimile: (215) 568-3439

© 2005 WW

PATENT



DOCKET NO.: FCI-2714/C3549

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:	Confirmation No.: 6034					
Steven A. Minich, et al.	Confirmation 1.0 665.					
Application No.: 10/634,547	Group Art Unit: 2833					
Filing Date: August 5, 2003	Examiner: Renee S. Luebke					
For: Electrical Connectors Having Contacts That May Be Selectively Designated As Either Signal Or Ground Contacts						
	EXPRESS MAIL LABEL NO: EV 614723098 US DATE OF DEPOSIT: September 20, 2005					
Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450						
Applicant-Initiated Interview Summary						
Date of Interview: July 21, 2005						
Interview Type: ⊠Personal □Telephonic □Electronic Mail □Video Conference □ Other:						
Participants: From PTO: (Include Name and 1. Examiner Ross N. Condo, 2. 3. For Applicant: 1. Joseph R. Condo, And 2. Dean E. Geibel, Att 3. Mr. Joseph Shuey, 4. Mr. Stephen Smith,	Attorney for Applicant, Reg. No. 42,431 torney for Applicant, Reg. No. 42,570 Applicant					
⊠An exhibit or demonstration was included	and is described below:					
An embodiment of the claimed connector	or was provided to the Examiner.					

DOCKET NO.: FCI-2714/C3549 PATENT

The claims discussed included: Generally, all c	laims were discussed.
The references discussed included:	
U.S. patent 6,554,647 ("Cohen"); FCI's METRAL connector line	
An agreement □was ⊠was not reached.	
It was agreed that the attached claims are allo	owable.
It was agreed that the attached amendment w	ould be entered.
∑The interview is summarized below.	·
least because the METRAL contacts are squa	nts." Applicant further noted, however, that, at
The Examiner suggested that the Applicant r to distinguish over the low-speed METRAL	ecite additional structural limitations in the claim connector.
Date: September 20, 2005	Joseph R Condo Registration No. 42,431
Woodcock Washburn LLP One Liberty Place - 46th Floor Philadelphia PA 19103 Telephone: (215) 568-3100 Facsimile: (215) 568-3439	© 2005 WW
	₩ 2005 W W